



Head protection

PITON CLEAR

SAFETY GLASSES

Clear-lens, one-piece safety glasses with side shields in a sporty design, perfect for short-term applications



Specific benefits



Comfort

- Ample indirect venting on the top and bottom of the lens to reduce moisture infiltration and fogging
- Wide frame bringing a better fit for wider facial profile



Performance

- Wraparound lens provides extra wide unobstructed field of vision



Easy to use

- Easily fits over most medium sized prescription eyewear, safety and precise vision without compromise



Compatibility

- Extra flat temples for optimal comfort with Ear muffs
- Clear lens carrier accepts Prescription Safety lenses

Applications

- Finishing works / Craftsmanship
- Light industry
- Temporary work
- Public services
- Power Energy
- Transportation

Certifications and norms



EN170

UV 2C - 1.2

EN166

1 FT / FT

ANSI Z87.1-2003

Z87+ U6



CSA Z94.3-20

Protects against risks



Shock



UV / IR



Head protection

PITON CLEAR

SAFETY GLASSES

Clear-lens, one-piece safety glasses with side shields in a sporty design, perfect for short-term applications

Standards - Details

Technical details

Use	Inside
Type of eye protection	Glasses
Can be worn over prescription glasses	yes
Lens matériel	Polycarbonate
Lens based curve	4
Lens support	Monobloc
Lens color	Clear
Optical class	1
Lens protection class	1.2
Lens characteristic	Curved
Mechanical strength (lens)	F, T
Nose pad material	Polycarbonate
Frame material	Polycarbonate
Frame	Temples
Frame color	Colorless
Mechanical strength (frame)	F, T
Mechanical strength (2nd frame)	F, T
Weight (g)	44








Head protection

PITON CLEAR

SAFETY GLASSES

Clear-lens, one-piece safety glasses with side shields in a sporty design, perfect for short-term applications

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LUCERNEIN100	Clear	-	PITON CLEAR	3295249155407	13295249155404	100	10	7.5 kg	31.8 cm	40.4 cm	56.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height